

Square 60G

art. nr. **GSQ.1100** (G25/G20)



Ø
100/150
Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



KG
59
Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Gesloten systeem
Balanced flue
Système atmosphérique
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung



Aardgas
Natural gas
Gaz naturel
Erdgas



Ventilator
Ventilator
Ventilateur
Ventilator



%
72,0
Efficiëntie
Efficiency
Efficacité
Efficacité
Effizienz



kW
3,5
Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)




Houtset
Wood logs
Bûche
Holzsatz



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



wanders
fires & stoves

Wanders fires & stoves | Tel: +31(0)315 - 386 414
Amtweg 4 | Fax: +31 (0)315 - 386 201
7077 AL NETTERDEN | info@wanders.nl
The Netherlands | www.wanders.nl

Square 60G Corner

art. nr. **GSQ.1200** (Right - G25/G20) **GSQ.1300** (Left - G25/G20)



Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Gesloten systeem
Balanced flue
Système atmosphérique
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung



Aardgas
Natural gas
Gaz naturel
Erdgas



Ventilator
Ventilator
Ventilateur
Ventilator



Efficiëntie
Efficiency
Efficacité
Effizienz



Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)




Houtset
Wood logs
Bûche
Holzsatz



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



wanders
fires & stoves

Wanders fires & stoves | Tel: +31(0)315 - 386 414
Amtweg 4 | Fax: +31 (0)315 - 386 201
7077 AL NETTERDEN | info@wanders.nl
The Netherlands | www.wanders.nl

Square 60G Trilateral

art. nr. **GSQ.1400** (G25/G20)



Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Gesloten systeem
Balanced flue
Système atmosphérique
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung



Aardgas
Natural gas
Gaz naturel
Erdgas



Ventilator
Ventilator
Ventilateur
Ventilator



Efficiëntie
Efficiency
Efficacité
Effizienz



Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)





Houtset
Wood logs
Bûche
Holzsatz



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



wanders
fires & stoves

Wanders fires & stoves | Tel: +31(0)315 - 386 414
Amtweg 4 | Fax: +31 (0)315 - 386 201
7077 AL NETTERDEN | info@wanders.nl
The Netherlands | www.wanders.nl